



SparkTEK

SparkTEK General Trading

Electro-Mechanical Spares & Services

صبركتك للتجارة العامة

قطع الغيار والخدمات الكهروميكانيكية



AUTHORIZED DEALER



SPORTS LACE 3"

STYLE CODE: JCB-001A

STANDARD: ASTM F2413-18 EH

UPPER: BROWN PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



SPORTS LACE 3"

STYLE CODE: JCB-001B

STANDARD: ASTM F2413-18 EH

UPPER: BLACK PU ACTION LEATHER


OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



SPORTS LACE 3"

STYLE CODE: JCB-001C

STANDARD: ASTM F2413-18 EH

UPPER: GREY PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



CLASSIC HYBRID 6''

STYLE CODE: JCB-004A

STANDARD: ASTM F2413-18 EH

UPPER: BROWN PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYSMASTER-MEMORY FOAM INSOLES WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



CLASSIC HYBRID 6''

STYLE CODE: JCB-004B

STANDARD: ASTM F2413-18 EH & WP (BOOTIE)

UPPER: BLACK PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



CLASSIC HYBRID 6''

STYLE CODE: JCB-004C

STANDARD: ASTM F2413-18 EH

UPPER: BROWN + BLACK PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



RUGGED BOOT 6"

STYLE CODE: JCB-005A

STANDARD: ASTM F2413-18 EH

UPPER: BROWN PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



RUGGED BOOT 6"

STYLE CODE: JCB-005B

STANDARD: ASTM F2413-18 EH

UPPER: BLACK PU ACTION LEATHER


OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



RUGGED BOOT 6"

STYLE CODE: JCB-005C

STANDARD: ASTM F2413-18 EH

UPPER: GREY PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



CHUKA 5"

STYLE CODE: JCB-006A

STANDARD: ASTM F2413-18 EH & WP(BOOTIE)

UPPER: BROWN PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

AVAILABLE IN SIZE 40-47



CHUKA 5"

STYLE CODE: JCB-006B

STANDARD: ASTM F2413-18 EH & WP(BOOTIE)

UPPER: BLACK PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



SPORTY BOOT 6"

STYLE CODE: JCB-007A

STANDARD: ASTM F2413-18 EH & WP(BOOTIE)

UPPER: BLACK PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



PULL ON BOOT 6"

STYLE CODE: JCB-008A

STANDARD: AASTM F2413-18 EH WATER RESISTANT

UPPER: BROWN PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



PULL ON BOOT 6"

STYLE CODE: JCB-008B

STANDARD: ASTM F2413-18 EH WATER RESISTANT

UPPER: GREY PU ACTION LEATHER

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE
WITH SLIP AND OIL RESISTANT**

TOE: COMPOSITE TOE

INSOLE: ENERGMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CARBON FIBER MIDPLATE AND PUNCTURE RESISTANT

AVAILABLE IN SIZE 40-47



SparkTEK

SparkTEK General Trading

Electro-Mechanical Spares & Services

صبركتك للتجارة العامة

قطع الغيار والخدمات الكهروميكانيكية



AUTHORIZED DEALER